City of Florence PICM Floodplain Development Permit

Prepared by FEMA, Dated: 1/17/2025

Permit
No



Floodplain Development Permit Overview

In accordance with City of Florence floodplain management regulations FCC 10-7, 10-19, 4-4, and the Florence Comprehensive Plan. Development within the City of Florence regulatory floodplain must comply with the standards within the aforementioned regulations. The regulatory floodplain is the Special Flood Hazard Area (SFHA) as defined on the currently effective Flood Insurance Rate Maps for the City of Florence.

Before Requiring this Permit to be Filled Out, Complete the Following Checklist:

Location of Development

1.	Is the property that the proposed development activity will occur on at least partially
	within (horizontally within) the community's regulatory floodplain?
	□ Yes
	$\ \square$ No, (If the answer is "No" then a floodplain development permit is NOT required)
2.	Is the site where the proposed development activity will occur on the property at least
	partially within (horizontally within) the community's regulatory floodplain?
	□ Yes
	$\ \square$ No, (If the answer is "No" then a floodplain development permit is NOT required)
3.	Has FEMA, through a Letter of Map Change (LOMC) (i.e. LOMA, LOMR-F, LOMR), made a
	formal determination that this property or proposed development site is out of the
	regulatory floodplain?
	$\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $
	required but a copy of the LOMC must be kept in the permitting records.)
	□ No

Section I: General Provisions

The undersigned hereby makes application for a permit to develop in a designated floodplain area. The work to be performed is described below and in attachments hereto. The undersigned agrees that all such work shall be done in accordance with the requirements of the City of Florence and City of Florence floodplain management regulations FCC 10-7, 10-19, 4-4, Florence Comprehensive Plan and with all other applicable local, state and federal regulations. This application does not create liability on the part of the City of Florence or any officer or employee thereof for any flood damage that results from reliance on this application or administrative decision made lawfully hereunder.

- 1. When the community's regulatory floodplain and no net loss standards apply to a proposed development activity, no work of any kind may begin in a regulatory floodplain area until a floodplain development permit is issued.
- 2. The permit may be revoked if any false statements are made herein. If revoked, all work must cease until a permit is re-issued.
- 3. The permit will expire if no work is commenced within 180 days of the date of issue.
- 4. The permit will not be issued until any other necessary local, state, or federal permits have been obtained (approved).

Property Owner(s):*	☐ Tick box if Property Owner is Applicant		
	Applicant:		
Mailing Address:	Mailing Address:		
Phone number:	Phone number:		
Fax number:	Fax number:		
Email:	Email:		

^{*}All property owners must be listed.

Section II: Development Proposal Information

PROJECT LOCATION Address of Property: Lot:_____ Subdivision: Township, Range, Section:____ (To avoid delay in processing the application, please provide enough information to easily identify the project location. A map or sketch attached to this application showing the project location is required.) ☐ Tick if the proposed development is NOT located horizontally within the Special Flood Hazard Area.* ☐ Tick if the property is partially located horizontally within the Special Flood Hazard Area, but the proposed development activity site is NOT.* *If this box is ticked then a floodplain development permit may not be required. Speak to community staff before completing the rest of this permit application. PROJECT DESCRIPTION A. Structural Development (Check all that apply) **Activity Structure Type** ☐ Residential: ☐ New Structure ☐ Single ☐ Addition* ☐ Two-Family ☐ Alteration (includes repairs or ☐ Multi-Family (3+) improvements)* ☐ Non-Residential: ☐ Relocation** □ Elevated □ Demolition ☐ Floodproofed ☐ Replacement ☐ Combined Use (Residential and Non-Residential) ☐ Manufactured Home ☐ Recreational Vehicle (RV) ☐ Garage: ☐ Attached □ Detached ☐ Appurtenant/Accessory Structure ☐ Other

☐ Change to footprint of existing structure

(please specify):	
*An alternation includes the repair or improvement of a structure. If the value of an addition or exceeds 50% of the value of the structure before the addition or alteration, the entire structure improved structure.	
**A relocated structure must be treated as new construction. B. Other Development (Check all that apply)	
b. Other Development (eneck un that apply)	
Clearing/Tree Removal	
Fill	
Mining	
Drilling	
Grading	
Dredging	
Increased Impervious Surface	
Agricultural Activity	
Maintenance of Existing Structure or site	
Excavation or Removal of Fill (Except for Structural Development Checked Ab	ove)
Watercourse Alteration	
Drainage Improvement (including culvert work)	
Individual water or Sewer System	
Road, Street, or Bridge Construction	
Fencing	
□Utilities	
Subdivision (New or Expansion), PUD, or Partition	
Other (Please Specify):	
C. Brief Project Description	
FLOOD HAZARD INFORMATION	
The proposed development is located on FIRM Panel:suffix), Dated:	(number and
${\bf 2. \ The \ proposed \ development \ is \ located \ partially \ or \ fully \ within \ the \ horizonta}$	·
Flood Hazard Area, Zone(s): (A, A1 -30, AE, AO, AH, AR, A99, V, V1-30	, or VE)
3. The one-percent-annual chance (100 year) flood elevation at this site is:	ft NGVD
29 / NAVD 88 (circle the correct datum),	
source:	☐ None Available

"Yes" was answered to (4.) above, then is a "No Rise Certification" with supporting engineering hydrologic and hydraulic data attached? Yes" was answered to (4.) above, then is a "No Rise Certification" with supporting engineering hydrologic and hydraulic data attached? Yes	Is the proposed devYes	velopment located partially or fully within a designated Floodway:
If "Yes", then is this proposal for: Temporary encroachment (less than 30 days – outside of flood season (October-March) Fish habitat restoration or enhancement* Fence (type and material:		
Temporary encroachment (less than 30 days — outside of flood season (October-March) Fish habitat restoration or enhancement* Fence (type and material:		roposal for:
Fish habitat restoration or enhancement* Fence (type and material:	•	•
*Fence (type and material:		
*For habitat restoration projects a rise in elevation may be allowed if a CLOMR is approved by FEMA. Permit shall not be issued, until FEMA approval is received. 5. If "Yes" was answered to (4.) above, then is a "No Rise Certification" with supporting engineering hydrologic and hydraulic data attached? Yes		
Permit shall not be issued, until FEMA approval is received. 5. If "Yes" was answered to (4.) above, then is a "No Rise Certification" with supporting engineering hydrologic and hydraulic data attached? Yes		
hydrologic and hydraulic data attached? Yes		
hydrologic and hydraulic data attached? Yes		
Yes		
6. The proposed project is located partially or fully within the Riparian Buffer Zone (RBZ): Yes		ılic data attached?
6. The proposed project is located partially or fully within the Riparian Buffer Zone (RBZ): Yes	☐ Yes	
□ Yes □ No 7. The proposed project is located partially or fully within the RBZ Fringe: □ Yes □ No 8. Are other federal, state, or local permits required? □ Yes □ No If yes, which ones: Section III. Additional Information Required (Complete all that apply) 1. Complete for Proposed Structures and Building Sites: A. Base Flood Elevation at this site:	□ No	
7. The proposed project is located partially or fully within the RBZ Fringe: Yes	6. The proposed proje	ect is located partially or fully within the Riparian Buffer Zone (RBZ):
7. The proposed project is located partially or fully within the RBZ Fringe: Yes No No R. Are other federal, state, or local permits required? Yes No If yes, which ones:	☐ Yes	
□ Yes □ No 8. Are other federal, state, or local permits required? □ Yes □ No If yes, which ones: □ Section III. Additional Information Required (Complete all that apply) 1. Complete for Proposed Structures and Building Sites: A. Base Flood Elevation at this site:	□ No	
□ No 8. Are other federal, state, or local permits required? □ Yes □ No If yes, which ones: Section III. Additional Information Required (Complete all that apply) 1. Complete for Proposed Structures and Building Sites: A. Base Flood Elevation at this site:	7. The proposed proje	ect is located partially or fully within the RBZ Fringe:
8. Are other federal, state, or local permits required? Yes No If yes, which ones: Section III. Additional Information Required (Complete all that apply) 1. Complete for Proposed Structures and Building Sites: A. Base Flood Elevation at this site: Elevation of highest adjacent grade: C. Required Elevation of lowest floor* (including basement): Proposed Elevation of lowest floor* (including basement): 29/NAVD 88). E. Elevation of next highest floor: Elevation of top of proposed garage slab, if any: ft (NGVD 29/NAVD 88). G. Details for anchoring structures (type of anchoring used and location of anchoring):	□ Yes	
Yes	□ No	
If yes, which ones: Section III. Additional Information Required (Complete all that apply) 1. Complete for Proposed Structures and Building Sites: A. Base Flood Elevation at this site:	8. Are other federal, s	tate, or local permits required?
Section III. Additional Information Required (Complete all that apply) 1. Complete for Proposed Structures and Building Sites: A. Base Flood Elevation at this site:	□ Yes	
Section III. Additional Information Required (Complete all that apply) 1. Complete for Proposed Structures and Building Sites: A. Base Flood Elevation at this site:	□No	
A. Base Flood Elevation at this site:		
 A. Base Flood Elevation at this site: ft (NGVD 29/NAVD 88). B. Elevation of highest adjacent grade: ft (NGVD 29/NAVD 88). C. Required Elevation of lowest floor* (including basement): ft (NGVD 29/NAVD 88). D. Proposed Elevation of lowest floor* (including basement): ft (NGVD 29/NAVD 88). E. Elevation of next highest floor: ft (NGVD 29/NAVD 88). F. Elevation of top of proposed garage slab, if any: ft (NGVD 29/NAVD 88). G. Details for anchoring structures (type of anchoring used and location of anchoring): 	Section III. Addit	ional Information Required (Complete all that apply)
 B. Elevation of highest adjacent grade: ft (NGVD 29/NAVD 88). C. Required Elevation of lowest floor* (including basement): ft (NGVD 29/NAVD 88). D. Proposed Elevation of lowest floor* (including basement): ft (NGVD 29/NAVD 88). E. Elevation of next highest floor: ft (NGVD 29/NAVD 88). F. Elevation of top of proposed garage slab, if any: ft (NGVD 29/NAVD 88). G. Details for anchoring structures (type of anchoring used and location of anchoring): 	1. Complete for Pro	posed Structures and Building Sites:
 B. Elevation of highest adjacent grade: ft (NGVD 29/NAVD 88). C. Required Elevation of lowest floor* (including basement): ft (NGVD 29/NAVD 88). D. Proposed Elevation of lowest floor* (including basement): ft (NGVD 29/NAVD 88). E. Elevation of next highest floor: ft (NGVD 29/NAVD 88). F. Elevation of top of proposed garage slab, if any: ft (NGVD 29/NAVD 88). G. Details for anchoring structures (type of anchoring used and location of anchoring): 	A. Base Flood Ele	evation at this site: ft (NGVD 29/NAVD 88).
 D. Proposed Elevation of lowest floor* (including basement): ft (NGVD 29/NAVD 88). E. Elevation of next highest floor: ft (NGVD 29/NAVD 88). F. Elevation of top of proposed garage slab, if any: ft (NGVD 29/NAVD 88). G. Details for anchoring structures (type of anchoring used and location of anchoring): 	B. Elevation of h	ighest adjacent grade: ft (NGVD 29/NAVD 88).
29/NAVD 88). E. Elevation of next highest floor: ft (NGVD 29/NAVD 88). F. Elevation of top of proposed garage slab, if any: ft (NGVD 29/NAVD 88). G. Details for anchoring structures (type of anchoring used and location of anchoring):		
 E. Elevation of next highest floor: ft (NGVD 29/NAVD 88). F. Elevation of top of proposed garage slab, if any: ft (NGVD 29/NAVD 88). G. Details for anchoring structures (type of anchoring used and location of anchoring): 		
F. Elevation of top of proposed garage slab, if any: ft (NGVD 29/NAVD 88). G. Details for anchoring structures (type of anchoring used and location of anchoring):		
H. Details of floodproofing or elevation of utilities. Provide the elevation of the utilities or the		
H. Details of floodproofing or elevation of utilities. Provide the elevation of the utilities or the		
	H. Details of floc	odproofing or elevation of utilities. Provide the elevation of the utilities or the

	the utilities were floodproofed (describe the type of floodproofing used or manner in which the utilities were floodproofed):			
l.	Exact location(s) on structure of all flood openings, if required. Include the elevation of the bottom of the flood opening(s), the size of the openings, and note if engineered flood opening(s) will be used. (Provide a reference diagram, in site plan or drawings):			
J.	Types of water-resistant materials used below the first-floor and portions of the structure they were applied to:			
L.	Is this project exempt from meeting no net loss requirements?			
	☐ Yes			
	□ No			
	If Yes, please indicate which exemption: -			
	If exempt, please disregard M-R below and section 6. Planned Mitigation Measures.			
M	.Location coordinates, address, or parcel number where project occurring:			
N.	Total Size of Project Area ft ²):			
	SFHA (ft ² or acres): RBZ (ft ² or acres): RBZ Fringe (ft ² or acres):			
0.	Amount of developed space added as volume:			
	SFHA (ft^3): RBZ (ft^3): RBZ Fringe (ft^3):			
	Area disconnected from floodplain (if applicable) (acres):			
	Amount of new impervious surface created in SFHA (ft²):			
R.	Total Number of Trees Removed:			
	a. Number of Trees Removed in the RBZ:			
	i. Number of small trees removed: 6 < dbh ≤ 20":			
	ii. Number of medium trees Removed: 20" < dbh ≤ 39":			
	iii. Number of large trees removed: dbh > 39":			
	b. Number of Trees Removed in the RBZ Fringe:			
	i. Number of small trees removed: 6 < dbh ≤ 20":			
	ii. Number of medium trees Removed: 20" < dbh ≤ 39":			
	iii. Number of large trees removed: dbh > 39":			

*lowest floor is defined as: the lowest floor of the lowest enclosed area (including basement). An unfinished or flood resistant enclosure (such as a crawlspace), usable solely for parking of vehicles, building access or storage in an area other than a basement area is not considered a building's lowest floor; provided, that such enclosure is built in compliance with the required floodplain and building code regulations including but not limited to flood venting requirements.

2. Complete for Alterations or Additions to Existing Structures:

	Please complete Appendix A to the City of Florence floodplain development permit and enter cost of the proposed construction* here: \$				
elemei remov improv	SE NOTE: Cost of construction estimates must include all structions, utility and service equipment, labor and other costs associng, or altering building components, and construction managorements being made to repair damage that go beyond just maked conditions.	iated with demolishing, ement. As well as any			
3. Complete f	or Non-Residential Floodproofed Construction:				
В.	Type of floodproofing method:	feet NGVD.			
4. Complete f	or Partitions, PUD's and Subdivisions:				
A.	Will the subdivision or other development contain 50 lots or	5 acres?			
В.	☐ Yes☐ No☐ If "Yes", does the plat or proposal clearly identify base flood☐ Yes☐	elevations?			
C.	□ NoAre the 100 year Floodplain and Floodway delineated on the□ Yes□ No	site plan?			
5. Complete f	or Proposals NOT Included in 1-4 Above:				
A.	For all watercourse relocations and/or landform alterations proposed relocation and/or alterations.	include plans showing the			
В.	If the proposed development activity will result in a change is the change in water elevation (in feet) increapplies).				
	For stream habitat restoration that impacts a mapped flood certification" from registered professional engineer or a FEN	1A approved CLOMR.			
D.	i. Top of new compacted fill elevation	 ft. (NGVD29/NAVD			

6. Planned Mitigation Measures:

Please document planned ESA compliance that adheres to no net loss standards that must be implemented to avoid or offset adverse impacts on threatened and endangered species and their critical habitat.

A.	Location coordinates, address, or parcel number where mitigation occurring:			
В.	Will mitigation efforts be completed within same reach as development?			
	☐ Yes			
	□ No			
C.	Amount of undeveloped space added as volume total (ft³): SFHA (ft³): RBZ (ft³): RBZ Fringe (ft³):			
D.	Area reconnected to the SFHA (if applicable) (acres):			
E.	Type of water quality mitigation used:			
	☐ Pervious Surface Added (ft²)			
	□ Low Impact Development/Green Infrastructure (LID/GI)			
	☐ Stormwater Management			
F.	Amount of water quality mitigation provided (if adding Pervious Surface (ft²)):			
	If using LID/GI or Stormwater Management to mitigate, please attach a description if not			
	already included in Habitat Assessment.			
G.	Total Number of Trees Planted:			
	i. Number of Trees Planted in the RBZ:			
	ii. Number of Trees Planted in the RBZ Fringe:			
Н.	Area of Native Herbaceous and Shrub Vegetation Planted (ft ² or acres)*:			

*Under FEMA's beneficial gain standard, an area within the same reach of the project and equivalent to 5% of the total project area within the RBZ, shall be planted with native herbaceous, shrub, and tree vegetation.

7. Required Attachments:

- A. A site plan drawn to scale, with elevations of the project area and the nature, location, dimensions of existing and/or proposed structures, earthen fill placement, storage of materials or equipment and drainage facilities. Plans shall include location of all water bodies, adjacent roads, lot dimensions, as well as, delineation of Special Flood Hazard Areas, regulatory Floodway boundaries including Base Flood Elevations (when available), or flood depth in AO zones.
- B. Copies of all required local, state, and federal permits. All required local, state, and federal permits must be approved before the floodplain development permit is approved.
- C. (OPTIONAL) A complete pre-construction Elevation Certificate signed and sealed by a registered professional surveyor.
- D. Certification from a registered professional engineer that any proposed non-residential floodproofed structure will meet the floodproofing criteria of the City of Florence

and Oregon Specialty Code requirements, if applicable.

- E. Floodplain Habitat Assessment (if required).
- F. LID/GI Plan (if required).
- G. Stormwater Management Plan (if required).
- H. Other documentation as required per the above sections.
- I. Any other requirement of the City of Florence

Section IV: Property Owner and Applicant Signatures

I/We hereby request a Floodplain Development Permit on the above described real property, located within the City of Florence, Oregon. I/We hereby acknowledge that this application is not considered filed, until all of the required information has been submitted as determined by the floodplain administrator and all required fees have been paid in full.

Property Owner(s)*	
Signature(s):	_
Name(s) (print):	
Date:	
Tick box if the Property Owner is the Applicant.	
Applicant	
Signature:	
Name (print):	
Date:	
This application is only for Floodplain Development Permit. Building Permits and any other permits require separate applications.	
*All property owners must sign. The signature is an acknowledgement and consent to this floodplain development permit application.	

Section V: OFFICE USE ONLY

□ No

APPLIC	CATION PROCESSING	
Date A	Application Received:	Initials:
Date A	application Complete:	Initials:
Applic	ant Notified of Completeness:	Initials:
Fee Pa	id: Receipt No	Initials:
SUBST	ANTIAL IMPROVEMENT REVIEW	
The fo	rmula for substantial improvement threshold	is as follows:
Marke	et Value X 50% (.50) = Substantial Improveme	ent Threshold
1.	What is the market value (based on current adamage/improvement? \$	Assessor data) of the existing structure prior to
2.		of the existing structure prior to vided above) \$
3.	Has Appendix A been completed? Ves No	
4.	Does the total cost of the proposed construction provided in Section II Yes No	ction noted in Appendix A match the cost of the I.(2.)(A.)?
5.	What is the cost of the proposed construction Appendix A)? \$	
6.	Yes, (If "Yes", then the proposed de improvement*).	equal to or greater than the value listed in line "2."? velopment activity qualifies as a substantial
7.	NoDoes the proposed development activity qualYes	alify as a substantial improvement*?

^{*}Construction cost estimates must include all structural elements, interior finish elements, utility and service equipment, labor and other costs associated with demolishing, removing, or altering building components, and construction management. As well as any improvements being made to repair damage that go beyond just making repairs to return to pre-damaged conditions.

**If the cost of the proposed construction equals or exceeds 50 percent of the market value of the structure, then the entire structure must be treated as a substantially improved structure and the substantial improvement provisions shall apply. See FEMA publication P-758, Substantial Improvement/Substantial Damage Desk Reference for more information regarding substantial improvement.

APPLICATION DETERMINATION

The proposed development activity is determined to be in conformance with the provisions of the community's floodplain regulations.

		YES NO		
If Yes, then	this	permit is issued, subject to the following	g conditions, attached to and made part of the	his
permit:				
			Dated:	
Date Appli	cant	Notified of Application Determination:	Initials:	

APPENDIX A

To be completed for alterations, additions, rehabilitations, repairs, or improvements to existing structures.

Section I.

COSTS TO BE INCLUDED

- 1. Material and labor for all structural elements, "including":
 - ✓ Spread or continuous foundation footings and pilings
 - ✓ Monolithic or other types of concrete slabs
 - ✓ Bearing walls, tie beams and trusses
 - ✓ Floors and ceilings
 - ✓ Attached decks and porches
 - ✓ Interior partition walls
 - ✓ Exterior wall finishes (brick, stucco, siding) including painting and moldings
 - ✓ Windows and doors
 - ✓ Re-shingling or re-tiling a roof
 - ✓ Hardware
- 2. All interior finishing elements, "including":
 - ✓ Tiling, linoleum, stone, or carpet over subflooring
 - ✓ Bathroom tiling and fixtures
 - ✓ Wall finishes (drywall, painting, stucco, plaster, paneling, marble, etc.)
 - ✓ Kitchen, utility and bathroom cabinets
 - ✓ Built-in bookcases, cabinets, and furniture
 - ✓ Hardware
- 3. All utility and service equipment, "including":
 - ✓ HVAC equipment
 - ✓ Plumbing and electrical services
 - ✓ Light fixtures and ceiling fans
 - ✓ Security systems
 - ✓ Built-in kitchen appliances
 - ✓ Central vacuum systems
 - ✓ Water filtration, conditioning, or recirculation systems
- 4. Cost to demolish storm-damaged building components
- 5. Labor and other costs associated with moving or altering undamaged building components to accommodate the improvements or additions

6. Overhead and profits

ITEMS TO BE EXCLUDED:

- 1. Plans and specifications
- 2. Survey costs
- 3. Permit fees
- 4. Post-storm debris removal and clean up
- 5. Outside improvements, including:
 - Landscaping
 - Sidewalks
 - Fences
 - Swimming pools
 - Screened pool enclosures
 - Detached structures (including garages, sheds, and gazebos)
 - Landscape irrigation systems

Source: FEMA Publication P-758, Substantial Improvement/Substantial Damage Desk Reference

Section II.

ITEMIZATION OF CONSTRUCTION COSTS TO COMPLETE PROJECT

	Work Description	Cost of Materials	Cost of Labor	Comments
1	Foundation/ Footings/ Pilings			
2	Concrete Slab			
3	Masonry Work			
4	Rough Carpentry			
5	Roofing and Gutters			
6	Insulation/ Weather Stripping			
7	Exterior Finish (stucco/ siding)			
8	Finished Carpentry			
9	Drywall			
10	Cabinets (built-in)			
11	Floor Covering			
12	Plumbing/ Gas			
13	Bathroom Fixtures			
14	Kitchen Fixtures			
15	Electrical and Lighting Fixtures			
16	Built-in Appliances			
17	HVAC System			
18	Paint and Wallpaper			
19	Demolition and Removal			

20	Overhead and Profit		
21	Construction Supervision		
	GROSS TOTAL = Contract Price		

Section III.

CONSTRUCTION COST AFFIDAVITS FROM FEMA PUBLICATION P-758,

Substantial Improvement/Substantial Damage Desk Reference

	Affic	<u>davit</u>					
Completed by (select one) Project Address:	Architect				Property (Owner	
Architect/Contractor/Propo	erty Owner N	ame:					
Company Name (if applicab	le):						
Address:						-	
Phone:	Ema	il:				-	
I hereby attest to the following	ng:						
I have prepared (or directly supervised the preparation of) a set of construction plans and specifications for the project located at the above noted property. I have personally reviewed the Itemization of Costs to Complete Project listed in Section II above. The cost, quantity, and type of materials and labor shown in the Itemization of Costs to Complete Project constitute the entire scope of work to be done in accordance with plans and specifications prepared by or supervised by me.							
Additionally, I understand: I will not be held responsil	ale for actions t	akan hu	the contracto	r architec	t or property	owner	
without my knowledge or		aken by	the contracto	i, ai cilitec	t, or property	OWITEI	
I am subject to enforceme	I am subject to enforcement actions and/or fines if I subsequently alter the approved plans without prior approval by The City of Florence.						
Itemization of Costs to Cor	The grade of materials may vary as to the manufacturer, but may not exceed the costs stated on the Itemization of Costs to Complete Project.						
reconstruction, repair or n	Any permit issued by The City of Florence for the proposed project does not authorize the reconstruction, repair or maintenance of any illegal additions, sheds or other non-conforming uses or structures on the subject property.						
Total Labor and Materials	\$						
Overhead & Profit	\$		- 				
Total Cost	\$		<u></u>				
Signature:			Da	te:			
State of	County of						
Sworn to and subscribed be	fore me this _	da	ay of 20, by	/			

Personally known	or produced identification	
Notary Public		: